



Oscity Labs
428 E Section Ave
Foley, Alabama 36535
(251) 895-0995
403H-80533.270

Name: Fahrenheit Cooling Gel
Type: Topical
ID: 220601523.15350
Batch ID: GFC04202A
METRC Tag: 1A4000D00039211000002100

RECEIVED: 06/13/2022

TESTED: 06/14/2022

REPORTED: 06/20/2022

ANALYTE	LOD	LOQ	MU	AMOUNT	AMOUNT	LABEL	STATUS
	%	%	mg/unit	%	mg/unit	mg/unit	
THCa	0.0075	0.015	0.000	<LOD	<LOD	-	TESTED
D9-THC	0.0075	0.015	6.150	0.065	61.5	-	TESTED
D8-THC	0.0075	0.015	0.000	<LOD	<LOD	-	TESTED
CBDa	0.0075	0.015	0.000	<LOD	<LOD	-	TESTED
CBD	0.0075	0.015	93.240	0.981	932.4	-	TESTED
CBDVa	0.0035	0.007	0.000	<LOD	<LOD	-	TESTED
CBDV	0.0035	0.007	0.000	<LOD	<LOD	-	TESTED
CBN	0.0035	0.007	2.600	0.027	26.0	-	TESTED
CBGa	0.0035	0.007	0.000	<LOD	<LOD	-	TESTED
CBG	0.0035	0.007	6.830	0.072	68.3	-	TESTED
CBCa	0.0035	0.007	0.000	<LOD	<LOD	-	TESTED
CBC	0.0035	0.007	3.300	0.035	33.0	-	TESTED
CBL	0.0035	0.007	0.000	<LOD	<LOD	-	TESTED
Sum of Measured Cannabinoids*				1.180	1,121.200		



Unit : 100 mL (95g) | Units Per Package : 1

Analyte	Total*
Total THC	61.50 mg/unit
Total CBD	932.40 mg/unit
Total CBG	68.30 mg/unit
Total CBDV	<LOD

*Total is the sum of the neutral (active) cannabinoid and the completely converted acidic cannabinoid

LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, MU = Measurement uncertainty, NR = Not Reported *Sum of measured cannabinoids is the sum of all quantified cannabinoids.

NOTES AND INTERPRETATIONS

Analyzed via AAM-001 using Agilent 1220 HPLC-DAD. Limits are based on CO 1 CCR 212-3. Sample was analyzed as received. Deviations from SOP: None.

Results Analyzed By:
Curtis Peralta
Associate Chemist

Results Approved By:
Tyler Dorsey
Associate Chemist



Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified - Scan QR code to verify authenticity





Oscity Labs
 428 E Section Ave
 Foley, Alabama 36535
 (251) 895-0995
 403H-80533.270

Name: Fahrenheit Cooling Gel
 Type: Topical
 ID: 220601523.15350
 Batch ID: GFC04202A
 METRC Tag: 1A4000D00039211000002100

RECEIVED: 06/13/2022

TESTED: 06/14/2022

REPORTED: 06/20/2022

ANALYTE	LOQ	LIMIT	AMOUNT	STATUS
	CFU/g	CFU/g	CFU/g	
STEC	1	1	Absent	Pass
Salmonella	1	1	Absent	Pass
Yeast & Mold	100	0	ND	Tested

LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, CFU/g = Colony Forming Units per Gram, NR = Not Reported



NOTES AND INTERPRETATIONS

Analyzed via AAM-003 & AAM-007. Sample was analyzed as received. Deviations from SOP: None.

Results Analyzed By:
 Hector Caldera
 Supervisory Analyst

Results Approved By:
 Luke Mason, MS
 Lab Director



Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified – Scan QR code to verify authenticity





Oscity Labs
428 E Section Ave
Foley, Alabama 36535
(251) 895-0995
403H-80533.270

Name: Fahrenheit Cooling Gel
Type: Topical
ID: 220601523.15350
Batch ID: GFC04202A
METRC Tag: 1A4000D00039211000002100

RECEIVED: 06/13/2022

TESTED: 06/14/2022

REPORTED: 06/20/2022

ANALYTE	LOD	LOQ	LIMIT	AMOUNT	STATUS
	PPB	PPB	PPB	PPB	
Abamectin	20	40	70	<LOD	Pass
Azoxystrobin	5	10	20	<LOD	Pass
Bifenazate	10	20	20	<LOD	Pass
Etoxazole	5	10	10	<LOD	Pass
Imazalil	20	40	40	<LOD	Pass
Imidacloprid	5	10	20	<LOD	Pass
Malathion	20	40	50	<LOD	Pass
Myclobutanil	10	20	40	<LOD	Pass
Permethrin	5	10	40	<LOD	Pass
Spinosad	20	40	60	<LOD	Pass
Spiromesifen	15	30	30	<LOD	Pass
Spirotetramat	5	10	20	<LOD	Pass
Tebuconazole	5	10	10	<LOD	Pass



NOTES AND INTERPRETATIONS

Analyzed via AAM-008 using Agilent 1260 HPLC and Agilent 6430 MS. Limits are based on CO 1 CCR 212-3. Sample was analyzed as received. Deviations from SOP: None.

LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, NR = Not Reported

Results Analyzed By:
Trey Murschell, PhD
Senior Chemist

Results Approved By:
Luke Mason, MS
Lab Director



Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified – Scan QR code to verify authenticity





Oscity Labs
 428 E Section Ave
 Foley, Alabama 36535
 (251) 895-0995
 403H-80533.270

Name: Fahrenheit Cooling Gel
 Type: Topical
 ID: 220601523.15350
 Batch ID: GFC04202A
 METRC Tag: 1A4000D00039211000002100

RECEIVED: 06/13/2022

TESTED: 06/14/2022

REPORTED: 06/20/2022

ANALYTE	LOD	LOQ	LIMIT	AMOUNT	STATUS
	PPM	PPM	PPM	PPM	
Arsenic	0.015	0.03	0.2	<LOD	Pass
Cadmium	0.015	0.03	0.2	<LOD	Pass
Lead	0.015	0.03	0.5	<LOD	Pass
Mercury	0.015	0.03	0.1	<LOD	Pass



LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, NR = Not Reported

NOTES AND INTERPRETATIONS

Analyzed via AAM-010 using Agilent 7800 ICP-MS. Limits are based on CO 1 CCR 212-3. Sample was analyzed as recieved. Deviations from SOP: None.

Results Analyzed By:
 Trey Murschell, PhD
 Senior Chemist

Results Approved By:
 Luke Mason, MS
 Lab Director



Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified – Scan QR code to verify authenticity





Oscity Labs
428 E Section Ave
Foley, Alabama 36535
(251) 895-0995
403H-80533.270

Name: Fahrenheit Cooling Gel
Type: Topical
ID: 220601523.15350
Batch ID: GFC04202A
METRC Tag: 1A4000D00039211000002100

RECEIVED: 06/13/2022

TESTED: 06/14/2022

REPORTED: 06/20/2022

ANALYTE	LOD	LOQ	LIMIT	AMOUNT	STATUS
	PPM	PPM	PPM	PPM	
Acetone	359.633	719.266	1000	<LOD	Pass
Benzene	2.211	4.422	2	<LOD	Pass
Butanes	45.8715	91.743	1000	<LOD	Pass
Ethanol	361.9265	723.853	0	53904.70	Tested
Ethyl-Acetate	229.358	458.716	1000	<LOD	Pass
Heptanes	47.0185	94.037	1000	<LOD	Pass
Hexanes	22.569	45.138	60	<LOD	Pass
Isopropanol	360.5505	721.101	1000	<LOD	Pass
Methanol	908.257	1816.514	600	<LOD	Pass
N-Pentane	43.1195	86.239	1000	<LOD	Pass
Propane	45.8715	91.743	1000	<LOD	Pass
Toluene	19.8165	39.633	180	<LOD	Pass
Xylenes	29.5415	59.083	430	<LOD	Pass



NOTES AND INTERPRETATIONS

Analyzed via AAM-002 using Agilent 7697/7890 Headspace GC FID. Limits are based on CO 1 CCR 212-3. Sample was analyzed as received. Deviations from SOP: None.

LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, NR = Not Reported

Results Analyzed By:
Tyler Dorsey
Associate Chemist

Results Approved By:
Trey Murschell, PhD
Senior Chemist



Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified - Scan QR code to verify authenticity





Oscity Labs
428 E Section Ave
Foley, Alabama 36535
(251) 895-0995
403H-80533.270

Name: Fahrenheit Cooling Gel
Type: Topical
ID: 220601523.15350
Batch ID: GFC04202A
METRC Tag: 1A4000D00039211000002100


RECEIVED: 06/13/2022

TESTED: 06/14/2022

REPORTED: 06/20/2022

ANALYTE	LOD	LOQ	AMOUNT	AMOUNT
	%	%	mg/g	%
δ-Limonene	0.003	0.006	0.65	0.065
β-Caryophyllene	0.003	0.006	0.15	0.015
Linalool	0.003	0.006	<LOD	<LOD
α-Pinene	0.003	0.006	0.38	0.038
β-Pinene	0.003	0.006	0.12	0.012
α-Humulene	0.003	0.006	<LOD	<LOD
(-)-α-Bisabolol	0.003	0.006	<LOD	<LOD
β-Myrcene	0.003	0.006	0.11	0.011
Camphene	0.003	0.006	<LOD	<LOD
trans-Nerolidol	0.002	0.004	<LOD	<LOD
α-Terpinene	0.003	0.006	0.14	0.014
Caryophyllene Oxide	0.003	0.006	0.06	0.006
cis-Nerolidol	0.001	0.002	<LOD	<LOD
δ-3-Carene	0.003	0.006	0.08	0.008
Eucalyptol	0.003	0.006	2.18	0.218
γ-Terpinene	0.003	0.006	0.06	0.006
Geraniol	0.003	0.006	<LOD	<LOD
Ocimene	0.003	0.006	<LOD	<LOD
(-)-Guaiol	0.003	0.006	<LOD	<LOD
(-)-isopulegol	0.003	0.006	<LOD	<LOD
p-Cymene	0.003	0.006	0.47	0.047
Terpinolene	0.003	0.006	0.30	0.03

AROMA PROFILE



NOTES AND INTERPRETATIONS

Analyzed via AAM-006 using Agilent 7697/7890 Headspace GC FID. Sample was analyzed as received. Deviations from SOP: None. Results are for R&D Purposes Only - Not an ISO 17025 Accredited Method

LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, NR = Not Reported

Results Analyzed By:
Tyler Dorsey
Associate Chemist

Results Approved By:
Luke Mason, MS
Lab Director



Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified - Scan QR code to verify authenticity





Oscity Labs
428 E Section Ave
Foley, Alabama 36535
(251) 895-0995
403H-80533.270

Name: Fahrenheit Cooling Gel
Type: Topical
ID: 220601523.15350
Batch ID: GFC04202A
METRC Tag: 1A4000D00039211000002100

RECEIVED: 06/13/2022

TESTED: 06/14/2022

REPORTED: 06/20/2022

ANALYTE	LOD	LOQ	LIMIT	AMOUNT	STATUS
	PPB	PPB	PPB	PPB	
B1	2.5	5	0	<LOD	Tested
B2	2.5	5	0	<LOD	Tested
G1	2.5	5	0	<LOD	Tested
G2	2.5	5	0	<LOD	Tested
Total Aflatoxins	2.5	5	20	<LOD	Pass
Ochratoxin A	2.5	5	20	<LOD	Pass



LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, NR = Not Reported

NOTES AND INTERPRETATIONS

Analyzed via AAM-004 using Agilent 1260 HPLC and Agilent 6430 MS. Limits are based on CO 1 CCR 212-3. Sample was analyzed as received. Deviations from SOP: None

Results Analyzed By:
Trey Murschell, PhD
Senior Chemist

Results Approved By:
Luke Mason, MS
Lab Director



Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified – Scan QR code to verify authenticity

